

NOTES:

1. WHEN COMPRESSED TO 6.7mm LENGTH, SPRING FORCE = 9.8 NEWTONS


USCONEC LTD. PROPRIETARY
 THIS DOCUMENT AND THE ASSOCIATED DATA CONTAIN RESTRICTED INFORMATION THAT IS USCONEC LTD. PROPERTY. DISCLOSE OR DUPLICATE FOR OTHERS ONLY AS AUTHORIZED BY USCONEC LTD.

Material: STAINLESS STEEL

REV	DATE	DESCRIPTION	ECN
X1	6/6/16	-	my
A	6/7/16	INITIAL RELEASE	1943-mm
B1	3/13/18	CHANGED LENGTH DIM FROM NOMINAL TO MAX	2095-mm
B	4/2/18	RELEASE	

CUSTOMER DRAWING

DIMENSIONS FOR REFERENCE ONLY



METRIC/mm

▲ DENOTES CRITICAL DIMENSION

USCONEC Hickory, NC
800-769-0944
www.usconec.com

TITLE SPRING, UNIVERSAL, 9.8N, MTP®

SIZE	S&M Part No.: 17167	DWG NO. C17167	REV B
SCALE	N.T.S.	Drafter M. YOUNT	Date: 6/6/2016

SHEET **1** OF **1**